


bhiflorida.com







Quality components create the total package.

BHI Doors is a collection of best-in-class components (doors, doorglass, frames, astragals, weather seals, thresholds, locksets, and hardware) to create entry systems with enduring good looks and superior performance. The majority of our door systems are tested to the HVHZ (High Velocity Hurricane Zone) standards, the most stringent hurricane codes ANYWHERE in the United States. Most all of the BHI Door systems meet the minimum Florida Energy code.

Great craftsmanship, beautiful glass patterns, a wide range of finish and hardware options, superior construction, and energy-saving features all come together in a wide range of entry systems that enhance the value of your home and add beauty to everyday living.

BHIDoors Commitment



All products featured are in stock (unless marked special order).

Unless otherwise noted, all products featured can be built into door systems that are compliant with hurricane structural, hurricane impact and the latest energy codes.

BHI Doors continues our commitment to service excellence as we bring enduring beauty and value to exterior doors throughout Florida. – established in 1954.














The BHI System



All components in the BHI Systems have a warranty, and are backed by the manufactures. For specific warranty information please see our resources page at BHIFlorida.com.

Component Brands in the BHI System



ODL® DOORGLASS

Add beauty to and increase the value of your home with ODL's innovative line of doorglass.





TRILENNIUM™ MULTI-POINT LOCKS

The ultimate fiberglass door security system. Multiple latches and bolts prevent forced entry and create additional weather sealing.

TRILENNIUM



PLASTPRO® FIBERGLASS DOORS AND PF FRAMES™

A lifetime of exceptional durability and performance for every door around your home.





YALE® RESIDENTIAL LOCKSETS

Superior functionality, easy installation, and secure performance.





KENYON'S® CUSTOM GLASS

Custom glass for doors, sidelights, windows and transoms.





BHI HINGES Specially designed for highperformance and tested for



long lasting endurance.

Component Brands in the BHI System



WINDSERTTM
VENTILATING DOORS

Let in the breeze without compromising security with an optional window insert in your door (with a security screen).





DLP THRESHOLDS & ASTRAGALS

For additional security and weather protection our systems use DLP thresholds and astragals.





WEATHER SEALS

Keep cool air in and keep bugs out while benefiting from improved energy efficiency.





ETCHED GLASS

Unique line of doorglass inserts styled for Florida living. Etched glass displays traditional sandblasting.





VETRILITE® OVERLAY ART LAMINATE

Endless changeable options of patent pending premium overlay art glass laminate.





NOVATECH STEEL DOORS

Advanced manufacturing techniques, modern designs, and prefinished options. Affordable, stylish, and available in many colors.











p. 58-70

SELECTION OVERVIEW p.6-11

HURRICANE CODE COMPLIANCE p.6-7

ENERGY & LABEL COMPLIANCE

p. 8-9

STYLIZER p. 100

SPECIFICATIONS

Unit Sizing p. 92-93

Product Approvals p. 94-95

Glass Size

Options p. 96-99

SUPPORT

Order Form Inside Back Cover

Find a Dealer, Finishing **Doors and Warranties**

buildershardwareflorida.com

CUSTOM GLASS p. 12-17

DECORATIVE

p. 18-46

Decorative Glass Options Overview

p. 20-21

p. 22-24

p. 25-29

p. 30-32

Destination

Waterside Crosswalk

NEW! Park Place

Perspectives Privacy Glass



NEW! Chinchilla

Blanca

Linen

Streamed

Micro-Granite

Old World

Paris

Jacinto

NEW! Camden

Contemporary p. 33-36

Impressions

Renewed Impressions



Craftsman

Topaz

Eclectic

Mohave

Classic p. 39-46

p. 37

p. 38

p. 47-52



Gemini

Memoria

Expressions

Cadence

Grace

Heirlooms

Majestic

ETCHED GLASS

Nature Series

Privacy Glass

OVERLAY ART p. 53-57 **LAMINATE**

DOORS AROUND THE HOME

Light-Touch Enclosed Blinds

NEW! Nova 90 Direct Glazed Turtle Glass

One Light

Simulated Divided Lights

Grilles Between Glass

Prairie Style

WINDSERT VENTING p. 71-73 **LIGHT DOORS**

SOLID PANEL p. 74-86 **DOORS**

Modern & Shaker

Rustic

Woodgrain

Smooth

Steel Doors

HARDWARE & p. 87-91 **MISCELLANEOUS**

Brickmold Trim Locksets Stain Kits

SELECTION OVERVIEW HURRICANE COMPLIANCE

FOR IMPACT DOOR OFFERINGS SEE PAGES 18-86

OIMPACT



HVHZ STRUCTURAL & IMPACT RATED



Florida Wind-Borne **Debris (WBD) STRUCTURAL** & IMPACT RATED



- HVHZ STOCK OHVHZ SPECIAL ORDER WBD STOCK
 WBD SPECIAL ORDER



Impact units have structural ratings and may be used in the HVHZ and/or WBD impact zones without shutters required.



See impact testing video.


BHI quotes and order acknowledgments list the product approvals needed for each pre-hung door system. For additional code approvals and specific design pressure ratings, please see pages 94-95


Some doors are approved for HVHZ for in-swing application but may have overhang requirements. Some systems with very high design pressure ratings may require surface bolts, and/or dead bolt security strikes.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

SELECTION OVERVIEW HURRICANE COMPLIANCE

Doors made to withstand high pressure






SELECTION OVERVIEW ENERGY COMPLIANCE




BHI and our suppliers of major fenestration components have made it a joint effort to focus on compliance with the newly implemented 2017 Florida Building Code - 5th Edition Energy Conservation.



There are also exemptions for products that DO NOT meet the energy standards.

The Prescriptive method of compliance allows one glazed fenestration per dwelling unit of up to 15 square feet "of glazed fenestration" to be exempt from the U–factor and SHGC requirements R402.1.(1), and also one side hinged opaque door assembly up to 24 square feet to be exempt from U–factors (Section R402.1.(.3 & .4)). If using this exemption, doors bearing this mark may be used as single door units. Other exemptions for doors bearing this mark may be used when using whole house energy engineering compliance method.

2017 Florida Energy Efficiency Requirements



BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.



SELECTION OVERVIEW ENERGY COMPLIANCE

BHI doors that meet the Energy Standards will have at least 2 Energy Performance labels.

- One permanent label attached to the hinge side of the door slab.
- One temporary label which will be attached to the face of the door.



Labels will have specific certified products directory (CPD) numbers listed. These are the numbers listed in the certified products directory of the National Fenestration Rating Council (NFRC). The CPD numbers listed under BHI are also listed with our third-party quality assurance provider, National Accreditation Management Institute (NAMI) for thermal quality assurance compliance.

Structural Certification Label:

Builders Hardware inc.
Plastpro/Nanya Plastic FL# 15210.4
MANUFACTURER STIPULATES CONFORMANCE TO:
TAS 201,202,203 - ASTM E48 NOA 17-0712.05/16-0314.11
DP RATING +75-75 PSF 1/8", 1/2", 1" GLAZED UNIT IN/OUT
MAX TEST SIZE 3/0 X 6/8 X
FL CERT # 1773 ANSI # 0651

Specific Labels are used when exact design pressure ratings are required for specific size door configurations, within our test matrix qualifications. Structural Certification Labels are created for specific units with specific stipulations which conform to varying codes within the state.



BHI and its suppliers of major components are Energy Star Partners.

Energy Star Certified products are available upon request.

SELECTION OVERVIEW

SELECTION OVERVIEW

STANDARD FEATURES OF BHI UNITS UNLESS OTHERWISE SPECIFIED:

SMOOTH SKIN: White fiberglass doors will have smooth white 4 9/16" door frames, white powder coat aluminum T-astragal (Double Doors), white weather-strip and stainless steel safety hinges.

WOODGRAIN TEXTURED: Tan fiberglass doors will have textured 4 9/16" door frames, stainable T-astragal (Double Doors), bronze weather-strip and stainless steel safety hinges.

GLASS OPTIONS



CUSTOM OR COMPLEMENTARY DESIGNS



DECORATIVE DESIGNS



ETCHED GLASS



OVERLAY ART LAMINATE



VENTILATING DOORS



DOORS AROUND THE HOME

STEEL DOORS —

DOOR SKIN OPTIONS

FIBERGLASS DOORS



WOODGRAIN TEXTURED (DRG)



SMOOTH (DRS)





FIR GRAIN (DRF)

All smooth doors

and can be painted

sold unfinished

or faux finished.





RUSTIC (DRA)



All steel doors sold pre-finished white. Available black and white and special colors for large projects.

DOOR FRAME OPTIONS

All woodgrain doors

and can be stained

sold unfinished

or painted.

COMPOSITE FRAMES (Frame Depths: 4 9/16", 5 1/4", 6 9/16", 7 1/4") -



All woodgrain textured frames sold unfinished and can be stained or painted.



All smooth frames sold primed white and can be painted or faux finished.

OPTIONAL MULTI-POINT SECURITY LOCKSETS

- Stainless steel face-plates and strikes
- Strike Rollers and latches draw the door panel into perfect alignment with the jamb for a tight seal
- A single downward turn of the interior handle releases all three deadbolts - making this system panic proof
- Keying available



| | SATIN NICKEL | VICTORIAN BRONZE | BRIGHT BRASS | POWDER- COAT BLACK |
|--------------------------------------|-----------------|---------------------|-----------------|--------------------------|
| Color chart for representation only. | | | | |
| HORIZON | • | 0 | 0 | |
| ECLIPSE | • | • | • | 0 |
| PINNACLE | • | • | 0 | |
| RECTANGULAR | 0 | 0 | | • |
| CURVED | 0 | 0 | | • |
| ECLIPSE GRIP SET | 0 | • | 0 | 0 |
| | | | | |

• IN STOCK • SPECIAL ORDER





RECTANGULAR SHOWN IN POWDER COAT BLACK


| HINGE OPTIONS | DULL CHROME US26D | ZINC DICHRO- MATE US2D | SATIN NICKEL SMOOTH US15S | ANTIQUE BRASS US5 | STAIN- LESS STEEL US32D | ANTIQUE NICKEL US15A | PRIMED WHITE USPP | SATIN NICKEL BRUSHED US15 | BRIGHT BRASS US3 | SATIN BRONZE US10C |
|---|-------------------------|---------------------------------|------------------------------------|-------------------------|----------------------------------|----------------------------|-------------------------|------------------------------------|------------------------|--------------------------|
| Color chart for representation only. | | | | | | | | | | |
| 4"x 4" BALL BEARING 5/8" RADIUS x RADIUS STUD | | | | | • | | | | | • |
| 4"x 4" BALL BEARING 5/8" RADIUS x SQUARE STUD | | • | | | • | | | | | |
| 4"x 4" SPRING 5/8" RADIUS x SQUARE | | | • | | | | • | | | • |
| 4"x 4" SPRING 5/8" RADIUS x RADIUS | | • | • | | | | • | | • | • |
| 4"x 4" SAFETY 5/8" RADIUS x RADIUS STUD | • | • | • | • (NRP) | • | • | • | • | • | • |
| 4"x 4" SAFETY 5/8" RADIUS x SQUARE STUD | • | • | | | • | | | • | • | • |

IN STOCK

NRP = Non Removable Pin

Stud = Security Hinge with Removable Pin

CUSTOM DESIGNS







Hurricane Zone & Wind-Borne Debris

DOORGLASS
SIDELIGHTS
TRANSOMS
WINDOWS



FLAT PROFILE FRAME (IMPACT GLASS)



EVOLVE FRAME (NON-IMPACT GLASS)



ZEEL FRAME (NON-IMPACT GLASS)









CUSTOM DESIGNS



CUSTOM SIZES



CUSTOM DESIGNS





CUSTOM COLORS



Kenyon's Glass prides itself on being one of the leading manufactures of custom decorative glass for the building industry. We provide design expertise and production of custom decorative panels for doors, sidelights, transoms, windows and other unique installations.









CUSTOMIZE EXISTING DESIGN



BUILD COMPLEMENTARY DESIGNS



Camed Designs

Caming is the thin metal work that joins together the door glass elements. Camed units are available as custom one-of-a-kind or complementary of any designs.



Metalist Designs

CUSTOM DESIGNS

Our Metalist designs are composed of aluminum sheets cut to a design or style of your choice. Metalist units are available as custom one-of-a-kind or complementary of any designs.

CAMING OPTIONS



nc Polished Black Pati



que ina



Black Matte Oil Rubbed Patina Bronze

GLASS OPTIONS





Dark Blue Waterglass

COLOR OPTIONS





GLASS OPTIONS



For additional glass color and textured options see our Kenyon's Custom Glass Catalog at BHIFlorida.com

BHI DOORS EXTERIOR DOOR SYSTEMS 17

16 BHI DOORS EXTERIOR DOOR SYSTEMS **CUSTOM** DESIGNS **SIDELIGHTS**

CUSTOM DESIGNS

For more detailed specifications see pages 92-93.



Transoms, windows and direct set sidelights are made with composite smooth or textured frames.

WINDOWS



97.75" MAX. OVERALL FRAME WIDTH 37.5" MAX. OVERALL FRAME HEIGHT RECTANGULAR FIXED LITE




HALF-ROUND FIXED LITE WINDOW 43.625" MAX. OVERALL X 85.5" MAX. OVERALL FRAME WIDTHFRAME HEIGHT

WINDOW

TRANSOM

TRANSOMS







HALF-ROUND FIXED LITE TRANSOM 43.625" MAX. OVERALL X 85.5" MAX. OVERALL FRAME WIDTHFRAME HEIGHT

IMPACT DOOR GLASS SIZES FOR 6/8 DOORS

DOORS

| FULL LIGHT | 1/4 LIGHT | 1/2 LIGHT | 3/4 LIGHT |
|------------|-----------|-----------|-----------|
| 14X64 | 22X10 | 22X36 | 22X48 |
| 20X64 | 21X16 | 20X36 | |
| 22X64 | 25X15 1/4 | | |

IMPACT DOOR GLASS SIZES FOR 8/0 DOORS

| FULL LIGHT | 1/2 LIGHT |
|------------|-----------|
| 14X80 | 22X48 |
| 20X80 | |
| 22X80 | |



ALL SIZES SHOWN AND ADDITIONAL SIZES AVAILABLE CUSTOM IN NON-IMPACT

IMPACT SIDELIGHT GLASS SIZES WITH SASH FOR 6/8 SIDELIGHTS


FULL LIGHT 7X64

IMPACT SIDELIGHT GLASS SIZES WITH SASH FOR 8/0 SIDELIGHTS

> FULL LIGHT 8X80

ALL SIZES SHOWN AND ADDITIONAL SIZES AVAILABLE CUSTOM IN NON-IMPACT

SIDELIGHT W/ SASH



Due to safety purposes Kenyon's Glass will no longer be offering annealed backers on units over 16" diagonally. We build one of a kind units that require special handling within our facility; adding tempered backers better protects your product for internal/external handling and shipping purposes. Special circumstances will be considered, please inquire if you have a unique project that requires annealed glass. Total maximum size of custom units available is 25 square feet.







Hurricane Zone & Wind-Borne Debris

> DESTINATION **PERSPECTIVES** OLD WORLD **ECLECTIC** CONTEMPORARY CRAFTSMAN CLASSIC

Severe Weather

All impact glass door offerings use this ALUMINUM frame.


- Available in white powder coat
- Product comes with screw hole covers





High Velocity DECORATIVE High Velocity DECORATIVE









ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN DRF = FIR GRAIN TEXTURED SKIN

Decorative Doorglass Overview



Decorative Doorglass Overview

DESTINATION













PERSPECTIVES









OLD WORLD















CRAFTSMAN











CLASSIC













DESTINATION Waterside



Black Chrome Caming

Natural, free-flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze.

Glass Textures; Clear softwave Glass Streamed Glass

Privacy Rating 9



TRANSOMS AVAILABLE SEE PAGES 12-17.

MEETS ENERGY STANDARDS







Nickel Caming

Crosswalk



Glass Textures; Micro-Iced Granite Glass Gray Softwave Glass Clear Softwave Glass

Privacy Rating 9



TRANSOMS AVAILABLE SEE PAGES 12-17.

6/8 DOORS



DRS00 686WTS SLS00 694WTS



DRG40 684WTS




DRG49 607WTS



DRG0080 612WTS SLG0080 493WTS





DRG00 686/687CWK SLG00 694CWK



DRS49 607CWK



DRS40 684CWK



DRG0080 612CWK SLG0080 493CWK

| HVHZ WED IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-----------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS00 686WTS • SLS00 694WTS | • • | • • | | | | • • | • • | • • |
| 6/8 DOORS | DRG40 684WTS | | | | | | • • | • • | • • |
| | DRG49 607WTS | | | | | | • | | • • |
| 8/0 DOORS | DRG0080 612WTS • SLG0080 493WTS | • • | • • | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

| | | | | | | | | |
|-----------|---------------------------------|-----|------|------|-----|-----|-----|-----|
| HVHZ WED | PART NUMBER | | 2/10 | 3/0 | | | | |
| | DRG00 686CWK • SLG00 694CWK | • • | • • | | | • • | • • | • • |
| //0 DOODS | DRG00 687CWK | | | | • • | | | |
| 6/8 DOORS | DRS49 607CWK | | | | | • | | • • |
| | DRS40 684CWK | | | | | • • | • • | • • |
| 8/0 DOORS | DRG0080 612CWK • SLG0080 493CWK | 0 0 | 0 0 | | | • • | • • | • • |



PERSPECTIVES **TEXTURED DOORGLASS**

Chinchilla

As touchable as its namesake, Chinchilla's fine lines and organic furlike texture create a striking wave pattern when seen from afar. It offers a high level of privacy to your home.

Privacy Rating 9

6/8 DOORS

B=righthand from outside view.

DRG00 686PPZNCA 686PPZNCB

8/0 DOORS -



DRG0080 612PPZNCA

DRG0080 612PPZNCB

6/8 DOORS


DRG00 686CHA SLG00 694CHA



DRG40 684CHA



DRG29 607CHA



DRG0080 612CHA SLG0080 493CHA

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-------------------|-----|-----|-----|-----|-----|-----|------|-----|
| //0 DOODS | DRG00 686PPZNCA | | | | | | • • | • • | • • |
| 6/8 DOORS | DRG00 686PPZNCB | | | | | | • • | • • | • • |
| 0/0 00000 | DRG0080 612PPZNCA | | | | | | • • | • • | • • |
| 8/0 DOORS | DRG0080 612PP7NCB | | | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type.

Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 12" 14" 2/0 2/6 2/8 2/10 3/0 • • • • • • DRG00 686CHA • SLG00 694CHA 00 00 DRG40 684CHA • • • • • • 6/8 DOORS 00 DRG29 607CHA 00 8/0 DOORS DRG0080 612CHA • SLG0080 493CHA • • • • • • • • • •

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE



PERSPECTIVES

TEXTURED DOORGLASS

Blanca

LOW-E

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface.

Privacy Rating 9

6/8 DOORS



PERSPECTIVES TEXTURED DOORGLASS

Linen


LOW-E

Reminiscent of a soft linen shirt or an elegantly embroidered linen tablecloth, Linen's lightly etched glass and woven pattern complement casual or formal entryway designs. The translucent white glass and soft moiré of Linen's silkscreened threads give it a high privacy level.

Privacy Rating 9

8/0 DOORS







DRS40 651BLC

624BLC



DRG49 607BLC



DRG40 684BLC/672BLC (672 FOR 2/6 DOORS) NOT HVHZ

DRS3F

876BLC



DRS0080 612/496BLC SLS0080 DRS0080 493BLC

(496 FOR 2/6 DOORS)

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|-------------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRG00 686/687BLC • SLG00 694BLC | • • | • • | | | • • | • • | • • | • • |
| | DRG00 624BLC | | | • | • • | | | | |
| 6/8 DOORS | DRS40 651BLC | | | | | | • • | • • | • • |
| 6/8 DOORS | DRG49 607BLC | | | | | | • | | • • |
| | DRG40 684BLC/672BLC | | | | | • • | • • | • • | • • |
| | DRS3F 876BLC | | | | | | • | | • |
| 0/0 00005 | DRS0080 612/496BLC / SLS0080 493BLC | • • | • • | | | • • | • • | • • | • • |
| 8/0 DOORS | DRS0080 487BLC | | | • | • | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



DRG40 684LNN SLG00 694LNN



DRG0080 612LNN SLG0080 493LNN

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DDC00 (0/1 NIN - CLC00 (0/1 NIN | | | | | | | • • | • • |
| | DRG00 686LNN • SLG00 694LNN | • • | • • | | | | • • | • • | • • |
| 6/8 DOORS | DRG40 684LNN | | | | | | 0 | 0 0 | 0 0 |
| | DRG49 607LNN | | | | | | 0 | | 00 |
| 8/0 DOORS | DRG0080 612LNN • SLG0080 493LNN | 0 0 | 0 0 | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE




PERSPECTIVES

Micro-Granite

Micro-Granite blends texture and pattern to create a surface reminiscent of small polished pebbles with a high level of privacy.

Privacy Rating 9



The pronounced vertical pattern and strong ribbed texture of Streamed creates the illusion of falling water in your entryway, and offers a high level

LOW-E


Privacy Rating 9


of privacy.

6/8 DOORS



8/0 DOORS









(672 FOR 2/6 DOORS)



(FIR GRAIN)



DRS0080 612/496STM SLS0080 493STM (496 FOR 2/6 DOORS)

DRS0080 487STM (487 FOR 2/0 & 2/4 DOORS) NOT HVHZ

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-------------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRG00 624STM | | | • • | • • | | | | |
| | DRG00 686/687STM • SLG00 694STM | • • | • • | | | • • | • • | • • | • • |
| / /0 DOODS | DRG49 607STM | | | | | | • | | • • |
| 6/8 DOORS | DRS40 651STM | | | | | | • • | • • | • • |
| | DRS40 684STM/672STM | | | | | • • | • • | • • | • • |
| | DRF3F 876STM (FIR GRAIN) | | | | | | • | | • |
| 0/0 DOORS | DRS0080 612/496STM • SLS0080 493STM | • • | • • | | | • • | • • | • • | • • |
| 8/0 DOORS | DRS0080 487STM | | | 0 | 0 | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|-------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS00 624MG | | | • • | • • | | | | |
| | DRS00 686/687MG • SLS00 694MG | • • | • • | | | 0 0 | • • | • • | • • |
| 6/8 DOORS | DRS40 684MG | | | | | | • • | • • | • • |
| | DRG6C 814MG | | | | | | | | 0 |
| | DRF3F 876MG (FIR GRAIN) | | | | | | 0 | | 0 |
| 8/0 DOORS | DRG0080 612MG • SLG0080 493MG | 0 0 | 0 0 | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER



OLD WORLD STYLE

Paris



Patina Caming

Glass Textures; Clear Bevels Arctic Glass Clear Renaissance Glass

Privacy Rating 4



OLD WORLD STYLE

Jacinto



Glass texture; Arctic Glass

Privacy Rating 9

6/8 DOORS



DRF3F 876PS (FIR GRAIN) NOT HVHZ



DRS00 686PS SLS00 694PS

8/0 DOORS



DRG4180 607PS **NOT HVHZ**



DRS2980 686PS

6/8 DOORS -



DRG49 607JA



DRS00 686JA SLS00 694JA



8/0 DOORS



DRS0080 612JA SLS0080 493JA



DRS2980 686JA

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|---------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| (/0.0000 | DRF3F 876PS (FIR GRAIN) | | | | | | 0 | | 0 |
| 6/8 DOORS | DRS00 686PS • SLS00 694PS | • • | • • | | | | • • | • • | • • |
| 0/0 00000 | DRG4180 607PS | | | | | | 0 | | 0 |
| 8/0 DOORS | DRS2980 686PS | | | | | | • | | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



DOES NOT MEET MINIMUM FLORIDA ENERGY STANDARD (SEE PAGES 8 & 9).

| HVHZ WED IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | |
|-----------------|-------------------------------|-----|-----|-----|-----|-----|-----|------|-----|--|
| 6/8 DOORS | DRG49 607JA | | | | | | • | | • • | |
| | DRS00 686JA • SLS00 694JA | • • | • • | | | | • • | • • | • | |
| 0/0 00005 | DRS0080 612JA • SLS0080 493JA | • | • | | | | • • | • • | • • | |
| 8/0 DOORS | DRS2980 686JA | | | | | | • | | • | |

OLD WORLD STYLE

Camden

NEW!

WROUGHT IRON

Glass Textures; Tafeta Glass

Privacy Rating 9

Camden glass units are handed. A=lefthand from outside view. B=righthand from outside view.



CONTEMPORARY STYLE

Glass Textures; Cast Resin Clear Bevels Iced Granite Glass Streamed Glass Clear Renaissance Glass

Privacy Rating 7

6/8 DOORS ·




DRG00 686CAMWIA



DRG00 686CAMWIB

8/0 DOORS



DRS0080 612CAMWIA

DRS0080 612CAMWIB

6/8 DOORS



DRS40 684LI

DRS00 686/687LI SLS00 694LI

8/0 DOORS



DRS0080 612LI SLS0080 493LI

DRS2980 686LI

DOES NOT MEET MINIMUM FLORIDA ENERGY STANDARD (SEE PAGES 8 & 9).

| HVHZ WED | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-----------|-------------------|-----|-----|-----|-----|-----|-----|------|-----|
| 6/8 DOORS | DRG00 686CAMWIA | | | | | | • • | • • | • • |
| | DRG00 686CAMWIB | | | | | | • • | • • | • • |
| 0/0 DOODS | DRS0080 612CAMWIA | | | | | | • • | • • | • • |
| 8/0 DOORS | DRS0080 612CAMWIB | | | | | | • • | • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|-------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| //0 DOODS | DRS40 684LI | | | | | | • • | • • | • • |
| 6/8 DOORS | DRS00 686/687LI • SLS00 694LI | • • | • • | | | 0 | • • | • | • • |
| 0/0.000 | DRS0080 612LI • SLS0080 493LI | 0 | 0 | | | | • • | • | • • |
| 8/0 DOORS | DRS2980 686LI | | | · | | | • | | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

NEW!



CONTEMPORARY STYLE

Renewed Impressions



Nickel Caming

The sweeping floral patterns of our signature Impressions decorative glass are elegantly refreshed with nickel caming to create Renewed Impressions. The Contemporary design's textured surface offers a high privacy level.

Glass Textures; Clear Bevels Iced Granite Glass Streamed Glass Clear Renaissance Glass

Privacy Rating 7



CONTEMPORARY STYLE

Uptown

Oil-Rubbed Bronze



3/8" Round Caming

Glass Textures; Thin Reed Glass Clear Ice Crystals

Privacy Rating 9

Uptown glass units are handed. A=lefthand from outside view. B=righthand from outside view.

6/8 DOORS



DRS40 684RLI



DRG00 686RLI SLG00 694RLI



DRG00 687RLI (687 FOR 2/6 DOORS)



DRG0080 612RLI SLG0080 493RLI

6/8 DOORS -



DRG00 686UPTORBA

DRG00 686UPTORBB

8/0 DOORS



DRG0080 612UPTORBA

DRG0080 612UPTORBB

| HVHZ WED IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-----------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 684RLI | | | | | | • • | • • | • • |
| 6/8 DOORS | DRG00 686RLI • SLG00 694RLI | • • | • • | | | | • • | • • | • • |
| | DRG00 687RLI | | | | | • • | | | |
| 8/0 DOORS | DRG0080 612RLI • SLG0080 493RLI | • • | • • | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|----------------------|-----|-----|-----|-----|-----|-----|------|-----|
| 6/8 DOORS | DRG00 • 686UPTORBA | | | | | | • • | • • | • • |
| | DRG00 • 686UPTORBB | | | | | | • • | • • | • • |
| 0/0 00000 | DRG0080 • 612UPTORBA | | | | | | • • | • • | • • |
| 8/0 DOORS | DRG0080 • 612UPTORBB | | | | | | • • | • • | • • |



CONTEMPORARY STYLE

Entropy



Black Chrome Caming

Glass Textures; Clear Bevels Clear Renaissance Clear Seedy Granite

Privacy Rating 5

Entropy glass units are handed. A=lefthand from outside view. B=righthand from outside view.



CRAFTSMAN STYLE

Topaz

Patina Caming



Glass Textures; Micro-Granite Glass Bronze Softwave Glass Thin Reed Glass Clear Bevels

Privacy Rating 9

6/8 DOORS



DRG00 686ENTBCA

DRG00 686ENTBCB

8/0 DOORS -



DRG0080 612ENTBCA

DRG0080 612ENTBCB

6/8 DOORS **-**



DRF3F 876TPZ (FIR GRAIN)



DRS00 686TPZ SLS00 694TPZ





DRS2980 686TPZ

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|---------------------|-----|-----|-----|-----|-----|-----|------|-----|
| / /0 DOODS | DRG00 • 686ENTBCA | | | | | | • • | • • | • • |
| 6/8 DOORS | DRG00 • 686ENTBCB | | | | | | • • | • • | • • |
| 0/0 DOODS | DRG0080 • 612ENTBCA | | | | | | • • | • | • • |
| 8/0 DOORS | DRG0080 • 612FNTBCB | | | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type.

Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-----------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| . / | DRF3F 876TPZ (FIR GRAIN) | | | | | | • | | • |
| 6/8 DOORS | DRS00 686TPZ • SLS00 694TPZ | • • | • • | | | | • • | • • | • • |
| 8/0 DOORS | DRS2980 686TPZ | | | | | | • | | • • |

ECLECTIC STYLE

Mohave



Oil-Rubbed Bronze Caming

Glass Textures; Micro-Iced Granite Glass Streamed Glass Small Hammered Glass Gray Soft Wave Glass Bronze Seedy Glass Pale Amber Soft Wave Glass Clear Bevels

Privacy Rating 7



CLASSIC STYLE

Gemini

Black Matte Patina Caming



Granite Glass

Privacy Rating 8

6/8 DOORS



DRS40 684MOH



DRS00 687MOH (687 FOR 2/6 DOORS) DRS00 686MOH

SLS00 694MOH





DRG49 607MOH

8/0 DOORS







DRS2980 686MOH

6/8 DOORS



DRS00 686GMZNC

8/0 DOORS ·



DRS2980 686GMZNC

DR0080 612GMZNC

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 684MOH | | | | | | • • | • • | • • |
| //n DOODS | DRS00 687MOH | | | | | • • | | | |
| 6/8 DOORS | DRS00 686MOH • SLS00 694MOH | • • | • • | | | | • • | • • | • • |
| | DRG49 607MOH | | | | | | • | | • |
| 0/0 DOODS | DRS0080 612MOH • SLS0080 493MOH | 0 0 | 0 0 | | | | • • | • • | • |
| 8/0 DOORS | DRS2980 686 MOH | | | | | | • | | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER





CLASSIC STYLE Bristol



Satin Nickel Caming

Glass Textures; Clear Bevels Clear Cluster Bevels Granite Glass Hammered Glass

Privacy Rating 7



CLASSIC STYLE

Memoria

Nickel Caming



Memoria's classic styling celebrates the warm traditions and cherished memories of family and home. Its centerpiece bevel design is accented with a textured surface and nickel caming. Memoria provides a medium level of privacy.

> Glass Textures; Clear Renaissance Glass Glue Chip Glass Clear Bevel Clusters

> > Privacy Rating 4

6/8 DOORS -



DRG00 686BTSN

8/0 DOORS



DRS2980 686BTSN DR0080 612BTSN

6/8 DOORS



DRS40 684MMR



DRG00 686MMR SLG00 694MMR





DRS0080 612MMR SLS0080 493MMR



DRS0080 612MMR

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-----------------|-----|-----|-----|-----|-----|-----|------|-----|
| 6/8 DOORS | DRG00 686BTSN | | | | | | • • | • • | • • |
| 0/0 DOODS | DRS2980 686BTSN | | | | | | • | | • |
| 8/0 DOORS | DRS0080 612BTSN | | | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 684MMR | | | | | | • • | • • | • • |
| 6/8 DOORS | DRG00 686MMR • SLG00 694MMR | • • | • • | | | | • • | • • | • • |
| 8/0 DOORS | DRS0080 612MMR • SLS0080 493MMR | 0 0 | 0 0 | | | | • • | • • | • • |



CLASSIC STYLE

Expressions



Satin Nickel Caming

Glass Textures; Clear Bevels Granite Glass Gray Renaissance Glass

Privacy Rating 4



CLASSIC STYLE

Cadence



Patina Caming

Glass Textures; Clear Bevel Cluster Ripple Glass Hammered Glass

Privacy Rating 5

6/8 DOORS



DRS40 651EX



DRS00 686EX SLS00 694EX

8/0 DOORS




DRS0080 612EX SLS0080 493EX

6/8 DOORS -



DRS40 651CD



DRS00 686CD SLS00 694CD



8/0 DOORS -

DRS0080 612CD SLS0080 493CD

| HVHZ WED IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-----------------|-------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| //0 DOODS | DRS40 651EX | | | | | | • • | • • | • • |
| 6/8 DOORS | DRS00 686EX • SLS00 694EX | 0 0 | 0 0 | | | | • • | • • | • • |
| 8/0 DOORS | DRS0080 612EX • SLS0080 493EX | 0 0 | 0 0 | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| //0 DOODS | DRS40 651CD | | | | | | • • | • • | • • |
| 6/8 DOORS | DRS00 686CD • SLS00 694CD | • • | • • | | | | • • | • • | • |
| 8/0 DOORS | DRS0080 612CD • SLS0080 493CD | • • | • • | | | | • • | • • | • • |

CLASSIC STYLE

Grace



Nickel Caming

Glass Textures; Granite Glass Micro-Cubed Glass Micro-Granite Glass Clear Bevels

Privacy Rating 7



CLASSIC STYLE

Heirlooms

Satin Nickel Caming



Glass Textures; Clear Cluster Bevels Glue Chip Glass Granite Glass

Privacy Rating 6



TRANSOMS AVAILABLE SEE PAGES 12-17.

6/8 DOORS



DRS00 686GRC 694GRC



8/0 DOORS -

DRS0080 612GRC SLS0080 493GRC

6/8 DOORS



DRS00 686/687HM SLS00 694HM (687 FOR 2/6 DOORS)



DRG49 607HM



DRS0080 612HM SLS0080 493HM

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|---------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| 6/8 DOORS | DRS00 686GRC • SLS00 694GRC | • • | • • | | | | • • | • • | • |
| 8/0 DOORS | DRS0080 612GRC • SLS0080 493GRC | • • | • • | | | | • • | • • | • • |

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

DRS40 684HM

SPECIAL ORDER **46** BHI DOORS EXTERIOR DOOR SYSTEMS BHI DOORS EXTERIOR DOOR SYSTEMS 47

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

CLASSIC STYLE

Majestic



Nickel Caming

Glass Textures; Glue Chip Bevels Glue Chip Glass Gray Soft Wave Glass

Privacy Rating 5



High Velocity
Hurricane Zone & Wind-Borne Debris

NATURE SERIES

CUSTOM ETCHINGS

CREATE YOUR OWN





IMPACT DECORATIVE ETCHED GLASS





this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE

TRANSOMS AVAILABLE SEE PAGES 12-17.



DRS40 651ME

6/8 DOORS



DRS40 684ME







DRS00 686/687ME SLS00 694ME (687 FOR 2/6 DOORS)

8/0 DOORS

DRS0080 612ME SLS0080 493ME

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|--------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 651ME | | | | | | • • | • • | • • |
| 6/8 DOORS | DRS40 684ME | | | | | | • • | • • | • • |
| | DRS00 686/687ME • SLS00 694ME | • • | • | | | • | • • | • • | • • |
| 8/0 DOORS | DRS0080 612ME • SLS0080 493 ME | • • | • • | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.




ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN



Etched Glass

Through the artistry of Julian and Karin Mesa, BHI Doors offers a unique line of doorglass inserts styled for Florida living Enhance your door opening with a beautiful etched design. Etched glass displays traditional sandblasting.



Etched Glass All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert.

All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH4F-STD PALM



DRG00 BH4F-REV PALM



DRG00 BH2F-STD TROPICAL



DRG00 BHIN6-STD PALM

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH1F-STD LILIES



DRS00 BH1U-STD SEA LIFE



DRS00 BH4U-STD MARLIN

Privacy Glass

ANY SIZE door and doorglass can be made obscure by etching.

BEFORE





BHIO OBSCURE

AFTER

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

| MPACT IMPACT | PART NUMBER | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------------|-------------------------|-----|-----|------|-----|
| | DRG00 BH4F-STD PALM | 0 0 | 0 | 0 0 | 0 0 |
| / /0 AND 0 /0 DOODS | DRG00 BH4F-REV PALM | 0 0 | 0 | 0 0 | 0 0 |
| 6/8 AND 8/0 DOORS | DRG00 BH2F-STD TROPICAL | 0 0 | 0 | 0 0 | 0 0 |
| | DRS00 BHIN6-STD PALM | 0 0 | 0 | 0 | 0 0 |

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

| IMPACT IMPACT | PART NUMBER | 2/6 | 2/8 | 2/10 | 3/0 |
|-------------------|-------------------------|-----|-----|------|-----|
| | DRG00 BH1F-STD LILIES | 0 | 0 0 | 0 0 | 0 0 |
| 6/8 AND 8/0 DOORS | DRS00 BH1U-STD SEA LIFE | 0 | 0 | 0 0 | 0 0 |
| | DRS00 BH4U-STD MARLIN | 0 | 0 | 0 0 | 0 0 |

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

IMPACT DECORATIVE ETCHED GLASS



Etched Glass

Available as 6/8 DRS00/DRG00 or 8/0 DRS0080/DRG0080

An etched circle divided between double doors provides an elegant focal point.

The double panels can be mirror images or feature a scene or pattern which continues between them.

Custom Designs: You imagine it we create it!



Etched Glass

All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert.

All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS -



DRG00 BHIC3A-STD HERON





DRG00 BHIC4A-STD DOLPHIN



i00 A-STD BH HIN D



DRG00 BHIC4B-STD DOLPHIN



DRG00 BHIC6A-STD HERON



DRG00 BHIC6B-STD HERON

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

| HVHZ WED | PART NUMBER | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------------|--------------------------|-----|-----|------|-----|
| | DRG00 BHIC3A-STD HERON | | 0 0 | 0 0 | 0 0 |
| | DRG00 BHIC3B-STD HERON | | 0 0 | 0 0 | 0 0 |
| / /0 AND 0 /0 DOODS | DRG00 BHIC4A-STD DOLPHIN | | 0 0 | 0 0 | 0 0 |
| 6/8 AND 8/0 DOORS | DRG00 BHIC4B-STD DOLPHIN | | 0 0 | 0 0 | 0 0 |
| | DRG00 BHIC6A-STD HERON | | 0 0 | 0 0 | 0 0 |
| | DRG00 BHIC6B-STD HERON | | 0 0 | 0 0 | 0 0 |

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRS00 BHIM1-STD PALMS



DRS00 D BHIM1-REV PALMS



DRS00 BHIM2-STD PALMS



DRS00 BHIM4-STD PALMS



BHIM4-REV PALMS

DRS00 BH3F-STD BAMBOO

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

| HVHZ WBD | PART NUMBER | 2/6 | 2/8 | 2/10 | 3/0 |
|-------------------|-----------------------|-----|-----|------|-----|
| | DRS00 BHIM1-STD PALMS | 0 | 0 | 0 | 0 |
| | DRS00 BHIM1-REV PALMS | 0 | 0 0 | 0 0 | 0 0 |
| | DRS00 BHIM2-STD PALMS | 0 | 0 0 | 0 0 | 0 0 |
| 6/8 AND 8/0 DOORS | DRS00 BHIM2-REV PALMS | 0 | 0 0 | 0 0 | 0 0 |
| | DRS00 BHIM4-STD PALMS | 0 | 0 0 | 0 0 | 0 0 |
| | DRS00 BHIM4-REV PALMS | 0 | 0 0 | 0 0 | 0 0 |
| | DRS00 BH3F-STD BAMBOO | 0 0 | 0 0 | 0 0 | 0 0 |

BHIM2-REV

PALMS

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

IMPACT DECORATIVE ETCHED GLASS

MEETS ENERGY STANDARDS

Etched Glass

or 8/0 DRS0080/DRG0080

- All designs are etched on Low-E glass.
- All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).



NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS -



DRG00 BHBJC-STD JUMPING CRANES (SIMULATED IMAGE PLEASE REQUEST



DRG00 BH4B-STD PELICAN



DRS00 BH2BA-STD HERON IN THE CYPRESS



BH2BB-STD HERON IN THE CYPRESS

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.



6/8 AND 8/0 DOORS



O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



TEXTURED SERIES NATURE SERIES

Vetrilite is a patent pending premium overlay art glass laminate that is applied over one light Low-E glass.

Overlay laminates are very durable - scratch and UV resistant, but can be removed for decor change.

Custom designs:

- Non-trademarked logos
- Street addresses
- Numbers and names
- Modification of existing designs
- Create your own design from a photo or drawing



FLAT PROFILE FRAME (IMPACT GLASS)





DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN

OVERLAY ART GLASS SYSTEM

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

OVERLAY ART GLASS SYSTEM

Overlay Art Glass

The look of luxurious decorative doorglass using premium overlay glass laminate.

Privacy level 8 Energy efficient Low E doorglass Scratch and UV resistant, but can be removed for decor change Custom designs and logos can be created All are available in single-door or double-door options

Transoms available All door systems are sold unfinished

Five year warranty on overlay

Overlays also available with design and clear (CL) background.

NEW DESIGNS FOR 2020!

Overlay Art Glass

The look of luxurious decorative doorglass using premium overlay glass laminate.

Overlay Art Glass units are handed. A=lefthand from outside view. B=righthand from outside view.







TEXTURED SERIES 6/8 AND 8/0 DOORS

NEW DESIGNS FOR 2020!

NEW!

OVERLAY ART GLASS DESIGNS



GLAMOROUS DUPLICITY MONOCHROME (CLEAR AND OBSCURE)



TSAB100A ABOVE THE RIVER MONOCHROME



TSCP100 STREAMLINES MONOCHROME



DIFFERENT PATHS MONOCHROME



TSTA100A TSTA100 SEA OF LIFE MONOCHROME



TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT

OVERLAY ART GLASS DESIGNS

HEARTS & DIAMONDS MONOCHROME



TEXTURED SERIES 6/8 AND 8/0 DOORS

TS1500A HORIZONTAL



MONOCHROME

VERTICAL

COLOR



WAVES MONOCHROME **HALFLIGHT**



FLOWING WAVELETS MONOCHROME



NEW!

TEXTURED WAVES MONOCHROME

| HVHZ WBD IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------------|---|-----|-----|-----|-----|-----|-----|------|-----|
| | TSCP700A GLAMOROUS DUPLICITY MONOCHROME | | | | | 0 | 0 0 | 0 0 | 0 |
| | TSCP700B GLAMOROUS DUPLICITY MONOCHROME | | | | | 0 | 0 0 | 0 0 | 00 |
| | TSAB100A ABOVE THE RIVER MONOCHROME | | | | | 0 | 0 0 | 0 0 | 0 |
| / /0 AND 0/0 DOODS | TSCP100 STREAMLINES MONOCHROME | | | | | 0 | • • | • • | • |
| 6/8 AND 8/0 DOORS | TSCP200A DIFFERENT PATHS MONOCHROME | | | | | | 0 0 | 0 0 | 0 |
| - | TSTA100A SEA OF LIFE MONOCHROME | | | 0 0 | 0 0 | • • | • • | • • | • • |
| | TSTA100 SEA OF LIFE MONOCHROME SIDELIGHT | 0 0 | 0 0 | | | | | | |
| | TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT | | | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 12" 14" 2/0 2/4 2/6 2/8 2/10 3/0 TSC400 HEARTS & DIAMONDS MONOCHROME TS1500A HORIZONTAL COLOR 0 0 TS1600A VERTICAL COLOR 00 0 0 6/8 AND 8/0 DOORS TS800A WAVES MONOCHROME TS800A WAVES MONOCHROME HALFLIGHT • • TS1100A FLOWING WAVELETS MONOCHROME 00 0 0 0 0 TS2000 TEXTURED WAVES MONOCHROME

WAVES

HVHZ STOCK
 HVHZ SPECIAL ORDER
 WBD STOCK
 WBD SPECIAL ORDER

OVERLAY ART GLASS SYSTEM

Overlay Art Glass

The look of luxurious decorative

doorglass using

glass laminate.

premium overlay

Overlay Art Glass units are handed. A=lefthand from outside view. B=righthand from outside view.

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

OVERLAY ART GLASS SYSTEM



Overlay Art Glass

The look of luxurious decorative doorglass using premium overlay glass laminate.

Available as standard view (A) or reverse view (B) special order.

NATURE SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



SEA GRASS

MONOCHROME







NS100A NS100B FOLIAGE MONOCHROME

NS200A BAMBOO MONOCHROME

NS200A BAMBOO MONOCHROME HALFLIGHT



OVERLAY ART GLASS DESIGNS







NS500A BIRDS OF PARADISE MONOCHROME



NS600A PALM TREE COLOR



NS600A NS600B NS600 PALM TREE MONOCHROME

NS600

NS1600A NS1600B **LEAVES** MONOCHROME



NS1700A MONOCHROME



NS700

NS300 **PELICAN**

COLOR



NS1800A SAILFISH MONOCHROME



SAILFISH COLOR

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-------------------|--------------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | NS500A BIRDS OF PARADISE COLOR | | | | | • • | • • | • • | • • |
| | NS500A BIRDS OF PARADISE MONOCHROME | | | | | • | • • | • • | • • |
| | NS500B BIRDS OF PARADISE MONOCHROME | | | | | • • | • • | • • | • • |
| 6/8 AND 8/0 DOORS | NS600A PALM TREE COLOR | | | | | • • | • • | • • | • • |
| | NS600A PALM TREE MONOCHROME | | | | | • • | • • | • • | • • |
| | NS600B PALM TREE MONOCHROME | | | | | • | • • | • • | • • |
| | NS600 PALM TREE MONOCHROME SIDELIGHT | • • | • • | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 12" 2/0 2/4 2/8 2/10 NS400A SEA GRASS MONOCHROME • • • • NS700A HERON MONOCHROME • • NS700B HERON MONOCHROME • • NS700 HERON MONOCHROME SIDELIGHT • • • • NS100A FOLIAGE MONOCHROME • • • • NS100B FOLIAGE MONOCHROME • • • • NS200A BAMBOO MONOCHROME 00 0 0 • • • • 6/8 AND 8/0 DOORS NS200A BAMBOO MONOCHROME HALFLIGHT NS1600A LEAVES MONOCHROME 0 0 0 0 00 00 NS1600B LEAVES MONOCHROME 0 0 0 0 00 0 0 NS1700A HERON 3 MONOCHROME • • • • • • NS300 PELICAN COLOR • • NS1800A SAILFISH MONOCHROME • • NS1800A SAILFISH COLOR 0 0 0 0 00

HVHZ STOCK HVHZ SPECIAL ORDER WBD STOCK WBD SPECIAL ORDER





High Velocity
Hurricane Zone &
Wind-Borne Debris

ENCLOSED BLINDS

NOVA 90

ONE LIGHTS
(LOW-E, CLEAR, AND TURTLE)

SIMULATED DIVIDED LIGHTS


GRILLES BETWEEN GLASS (GBG)

PRAIRIE (GBG)

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



IMPACT RATED DOORS AROUND THE HOME





ALL DOOR SYSTEMS ARE SOLD UNFINISHED

DRS = SMOOTH SKIN

DRG = WOODGRAIN TEXTURED SKIN

DRF = FIR GRAIN TEXTURED SKIN

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DOORS AROUND THE HOME



Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Adjustable Privacy Rating





8 ft. Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Adjustable Privacy Rating





6/8 DOORS



DRS40 684RLB/672RLB (672 NEW FOR 2/6 DOORS)



DRS00 686RLB SLS00 690RLB



DRS00 687RLB (FOR 2/6 DOORS)



DRS00 624RLB (FOR 2/0 OR 2/4 DOORS) CLEAR GLASS ONLY

8/0 DOORS



DRS0080 612RLB



DRS0080 496RLB SLS0080 493RLB (496 FOR 2/6 DOORS)

12"




DRS0080 487RLB (FOR 2/0 & 2/4 DOORS) **NOT HVHZ CLEAR GLASS ONLY**

2/6

• •





6/8 DOORS

| To meet the minimum Energy Standards for full glass doc | required. | ı. 💙 Full Glass Low-E 🧳 Full Glass CLI | | | | | | | | |
|---|-----------|--|-----|-----|-----|-----|------|-----|--|--|
| PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 | | |
| DRS40 684RLB / 672RLB | | | | | • • | • • | • • | • • | | |
| DRS00 686RLB • SLS00 690RLB | • • | • • | | | | • • | • • | • • | | |
| DRS00 687RLB | | | | | • • | | | | | |
| DRS00 624RLB | | | • • | • • | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.









2/4



• •

2/10

• •

3/0

• •



DRS0080 612RLB DRS0080 496RLB SLS0080 493RLB

• • • DRS0080 487RLB

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

2/0

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

14"

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

IMPACT DOORS AROUND THE HOME MEETS ENERGY STANDARDS





Nova 90



1-Lite Low-E 366 **Direct Glazed Impact Doors**



Full Length LVL Reinforcement (Hinge & Strike Side, For Extra Rigidity)

Insulated 1" Glass


Compression Molded Fiberglass Skin

Integrally Molded Glass Stop

High Density Polyurethane Foam

Availble Special Order: White Translucent and Blinds Between Glass

All door panels are sold unfinished. Nova 90 smooth skin is a white brushed texture.



8/0 DOORS -





6/8 DOORS







DRS1SLIR SDL BARS (SEE PAGES 66-67 FOR


OTHER SDL OPTIONS)

DRS1SLIR / SLS1SLIR

DRS1S80LIR / SLS1S80LIR

| | | | | | | | | | 1 |
|--------------|--------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
| | DRS1SLIR SDL BARS Low-E 366 | | | | | • • | • • | • • | • • |
| 6/8 DOORS | DRS1SLIR Low-E 366 | | | • • | | • • | • • | • • | • • |
| | SLS1SLIR SIDELIGHT Low-E 366 | • • | • • | | | | | | |
| 8/0 DOORS | DRS1S80LIR Low-E 366 | | | • • | | • • | • • | • • | • • |
| | SLS1S80LIR SIDELIGHT Low-E 366 | • • | • • | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.



One Light Turtle Glass

Thousands of marine turtles nest in U.S. coastal areas. State and local ordinances protect hatchling turtles by limiting the brightness of inside-to-outside visible light transmittance.

Turtle Glass is Solar Gray - Solar Gray / SGSG





SLS0080 493SGSG

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|-----------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 684SGSG | | | | | | • • | • | • • |
| 6/8 DOORS | DRS00 686SGSG • SLS00 694SGSG | • • | • • | | | | • • | • • | • • |
| | DRS00 687SGSG | | | | | • • | | | |
| 8/0 DOORS | DRS0080 496SGSG | | | | | • • | | | |
| | DRS0080 612SGSG • SLS0080 493SGSG | • • | • • | | | | • • | • • | • • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat glass.

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.



8 ft. One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.

6/8 DOORS







DRS40 684/672 (672 FOR 2/6 DOORS)





DRG49 607





DRS00 624 (FOR 2/0 & 2/4 DOORS)



DRS00 686/687 • SLS00 694 (687 FOR 2/6 DOORS)



DRF3F 876 (FIR GRAIN) **NOT HVHZ**

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-----------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS40 651 | | | | | | • • | • • | • • |
| | DRS40 684/672 | | | | | • • | • • | • • | • • |
| | DRG49 607 | | | | | | • | | • • |
| 6/8 DOORS | DRS00 624 | | | • • | • • | | | | |
| | DRS00 687 | | | | | • • | | | |
| | DRS00 686 • SLS00 694 | • • | • • | | | | • • | • • | • • |
| | DRF3F 876 (FIR GRAIN) | | | | | | • | | • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.





DRS4180 607 **NOT HVHZ**



DRS3080 686 **NOT HVHZ**

SLS0080 493



DRS0080 496 (FOR 2/6 DOORS)



DRS0080 487 (FOR 2/0 & 2/4 DOORS)





• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DOORS AROUND THE HOME




Simulated Divided Lights


MI SERIES

Upgrade, enhance, and improve the appearance of your doors with affordable Simulated Divided Lights.

- Available in 3 sizes: 1" 3 1/2" & 5"
- Smooth, paintable and made from recycled materials.
- Available in 6/8 and 8/0
- Comes standard as Clear Low-e or Blanca







Available glass textures:





Blanca

Chinchilla



Micro-Granite

Rain

Streamed

6/8 DOORS



DRS00 SDL 2-LIGHT







DRS00 SDI SLS00 SDL 3-LIGHT 3-LIGHT





DRS00 SDL 4-LIGHT



DRS00 SDL

5-LIGHT





DRS00 SDL


6-LIGHT





8/0 DOORS







3-LIGHT



DRS0080 SDL 4-LIGHT



DRS0080 SDL 6-LIGHT



DRS0080 SDL 7-LIGHT

| HVHZ | WED |
|------|-----|
| | |

6/8 DOORS

| PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|-------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| DRS00 SDL 2-LIGHT | • • | • • | • | • | • • | • • | • • | • |
| DRS00/SLS00 SDL 3-LIGHT | • • | • • | • • | • • | • • | • • | • • | • • |
| DRS00 SDL 4-LIGHT | • • | • • | • • | • • | • • | • • | • • | • • |
| DRS00 SDL 5-LIGHT | • • | • • | • • | • • | • • | • • | • • | • • |
| DRS00 SDL 6-LIGHT | • • | • • | • • | • • | • • | • • | • • | • • |
| DRS00 SDL 7-LIGHT | • • | • • | • • | • | • • | • • | • • | • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 2/4 2/6 2/8 2/10 DRS0080 SDL 2-LIGHT DRS0080/SLS0080 SDL 3-LIGHT • • DRS0080 SDL 4-LIGHT 8/0 DOORS DRS0080 SDL 5-LIGHT • • • • • • DRS0080 SDL 6-LIGHT DRS0080 SDL 7-LIGHT • •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

DRS0080 SDL

5-LIGHT

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS


IMPACT DOORS AROUND THE HOME



Grilles Between Glass

5/8" GRILLE BAR

Available in Clear or Low-E





8ft. Grilles Between Glass



Available with Low-E Glass





6/8 DOORS

DRS00 686/687 15L (687 FOR 2/6 DOORS)





SLS00 624 10L

DRS40 684 / 670 9L

DRS00 686/687 10L (687 FOR 2/6 DOORS)



DRS49 607 316058



SLS00 624 10L (FOR 2/0 & 2/4 DOORS)

Full Glass Low-E

• •

2/6

• •

• •

2/8

• •

• •

•

• •



DRS40 684/670 9L (670 FOR 2/6 DOORS)

Full Glass CLEAR

3/0

• •

2/10

• •

• •

• •



DRS0080 496 18L (FOR 2/6 DOORS)

8/0 DOORS

8/0 DOORS



DRS0080 612 18L SLS0080 493 6L



DRS0080 496 12L (FOR 2/6 DOORS)



612 12L

DRG0080 487 12L (FOR 2/0 & 2/4 DOORS) **NOT HVHZ**

6/8 DOORS



PART NUMBER 12" 14" 2/0 2/4 DRS00 686/687 15L • SLS00 694 5L • • • • DRS00 686/687 10L DRS49 607 316058

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

• •





• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

Prairie Grilles Between Glass

5/8" GRILLE BAR Low-E Glass

Available with Low-E Glass

6/8 DOORS

DRS40 684PIM



8/0 DOORS









SLS00 694PIM





Full Glass Low-E Full Glass CLEAR To meet the minimum Energy Standards for full glass doors, Low-E is required. PART NUMBER 14" 2/0 2/4 2/6 2/10 3/0 DRS40 684PIM 0 0 0 0 0 0 DRG49 607PIM 0 0 0 6/8 DOORS DRS00 687PIM 0 0 DRS00 686PIM • SLS00 694PIM • • • • 8/0 DOORS DRS0080 612PIM • •

> • HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



High Velocity Hurricane Zone & Wind-Borne Debris

> FRESH AIR **SECURITY**

HURRICANE PROTECTION



IMPACT RATED WINDSERT DOOR SYSTEM





ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN

IMPACT WINDSERT DOOR SYSTEM

Ventilating Doors

This product by DLP Industries is an operational window insert/door combo. When the window is open, fresh air is introduced into the home, eliminating the need for a screen door.

- Perfect for beach side residential dwellings
- Excellent for condominium doors, patio doors, cabana bath doors, and side garage doors
- Replaces old jalousie style doors
- · Comes with standard screen
- Manufactured in Florida
- Different glass options



Ventilating Doors

Configurations 6/8 Doors

X XO OX OXO XX XXXX

1/2 LIGHT

1/2 LIGHT 2 PANEL (2/10 & 3/0 ONLY) 3/4 LIGHT 1 OR 2 PANEL FULL LIGHT (2/10 & 3/0 ONLY)

Configurations 8/0 Doors

1/2 LIGHT 8/0 1/2 LIGHT 2 PANEL 8/0 (3/0 ONLY) FULL LIGHT 8/0 (3/0 ONLY)

8/0 DOORS



1/2 LIGHT

6/8 DOORS



1/2 LIGHT

2 PANEL





3/4 LIGHT

1 PANEL



FULL LIGHT









DRG4180 1/2 LIGHT 2 PANEL

FULL LIGHT (AVAILABLE WITH SECURITY SCREEN ONLY)

Optional Impact Security Screen

- Offers insect control, and hurricane protection
- Premium grade High Tensile 304 Stainless Security mesh
- Impact Resistant
- Allows ventilation without compromising security
- Windsert security screen is available for all door sizes



Security Screen

1/2 LIGHT





WINDSERT GLASS OPTIONS - IMPACT Representation only. Not actual colors. For actual samples, please contact your sales representative. Door Glass 6/8 Height 8/0 Height Milky Clear **Unit Type** Low-E Obscure Gray Turtle Size Number Glass Size Glass Size White WI1436 HALF-LIGHT 14 X 36 00 • • 0 0 00 2/0 & WI1464 FULL-LIGHT 14 X 64 0 0 • • 00 0 0 2/4 WI1480 FULL-LIGHT 14 x 80 0 0 0 0 0 WI1836 HALF-LIGHT 18 X 36 • • • • • • • • 00 00 2/6 WI1864 FULL-LIGHT 18 X 64 • • 00 00 00 00 WI1880 FULL-LIGHT 18 x 80 00 00 0 0 00 0 0 00 HALF-LIGHT WI2036 20 X 36 • • • • 00 00 2/8 WI2064 FULL-LIGHT 20 X 64 • • 00 • • • • 00 00 WI2080 FULL-LIGHT 20 X 80 0 0 0 0 0 0 0 0 0 0 0 0 WI2236 HALF-LIGHT 22 X 36 • • • • • • 00 WI2248 3/4-LIGHT 22 X 48 00 00 0 0 0 0 00 00 2/10 & WI2248 HALF-LIGHT 22 X 48 0 0 0 0 0 0 3/0 WI2264 FULL-LIGHT 22 X 64 • • • • 00 00 WI2280 FULL-LIGHT 22 X 80 0 0 00 00 00 0 0 00

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types. Any non-stock glass options have a lead time of 4 weeks.





High Velocity Hurricane Zone & Wind-Borne Debris

All wood grained doors are sold unfinished and natural color is tan. Can be painted or stained.

> All smooth doors are sold unfinished and natural color is white. Can be painted or faux finished.

THE MAKINGS OF A BETTER DOOR:

HYDROSHIED TECHNOLOGY

Strength and protection against moisture infiltration

LAMINATED VENEERED LUMBER (LVL)


Strength, durability and hardware reinforcement

10 GAUGE STEEL BEAM (NON-HVHZ ONLY) Prevents thermal bowing

HIGH DENSITY POLYURETHANE CORE Energy efficiency and noise reduction

FIBERGLASS REINFORCED SKIN

High impact and dent resistant







IMPACT RATED SOLID PANEL FIBERGLASS









ALL DOOR SYSTEMS ARE SOLD UNFINISHED.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass Modern and Shaker Collection



6/8 DOORS

NOT HVHZ

All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

LIMITED LIFETIME WARRANTY





Fiberglass Rustic Collection



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.



8/0 DOORS





Clavos Options

LIMITED LIFETIME WARRANTY

8/0 DOORS -







DMG51 MODERN



DRS3F SMOOTH SHAKER STYLE **NOT HVHZ**



DRF3F 3-PANEL 5 PANEL FIR GRAIN **NOT HVHZ**



DMG5180 MODERN



DRS3F80 3 PANEL **NOT HVHZ**



DRA1P 1 PANEL PLANK



DRA2A PLANK 2-PANEL ARCH



DRA2D 2-PANEL ARCH



DRA2A80 PLANK 2-PANEL ARCH



DRA2P80 PLANK 2-PANEL SQUARE **NOT HVHZ**

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|----------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS1K • 1 PANEL | | | | | | | | • |
| | DRS2K • 2 PANEL | | | | | | | | • |
| //0.00000 | DMG51 • MODERN | | | | | • | | | • |
| 6/8 DOORS | DRS3F • SMOOTH | | | | | | • | | • |
| | DRS50 • 5-PANEL | | | | | | | | • |
| | DRF3F • 3- PANEL FIR GRAIN | | | | | | | | • |
| 0/0.0000 | DMG5180 • MODERN | | | · | | | | | • |
| 8/0 DOORS | DRS3F80 • 3 PANEL | | | | | | | | • |

HVHZ STOCK
 HVHZ SPECIAL ORDER
 WBD STOCK
 WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRA1P • 1 PANEL PLANK | | | | | | | | • |
| | DRA2A • PLANK 2-PANEL ARCH | | | | | | | | • • |
| 6/8 DOORS | DRA2D • 2-PANEL ARCH | | | | | | | | • |
| | DRA2B • 2 PANEL SQUARE | | | | | | | | • |
| 0/0 00000 | DRA2A80 • PLANK 2-PANEL ARCH | | | | | | | | • • |
| 8/0 DOORS | | | | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems.

DRA2P80 • PLANK 2-PANEL

Some models available Fire Rated, minimum quantities may apply.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL



plastpro®

Fiberglass 6/8 Woodgrain Textured

Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood.





Fiberglass 6/8 Woodgrain Textured



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

> **RESIDENTIAL** LIMITED LIFETIME **WARRANTY**

6/8 DOORS



DRG60/DRG61/ DRG63 6-PANEL



DRG41 TRUE 4-PANEL

DRG00 • FLUSH



DRG49 3/4 4-PANEL



DRG00 • FLUSH shown unfinished

| MPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|--------------|----------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRG60 • 6-PANEL | | | | | • • | | | • • |
| | DRG61 • "NARROW UTILITY" 6-PANEL | | | | | | • | | |
| / /0 DOODS | DRG63 • "NARROW UTILITY" 6-PANEL | | | | | | • | | |
| 6/8 DOORS | DRG41 • TRUE 4-PANEL | | | | | | • | | • • |
| | DRG49 • 3/4 4-PANEL | | | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.

6/8 DOORS



DRG80 • 8-PANEL **CENTER ARCH**



DRG6C CRAFTSMAN **NOT HVHZ**



DRG29 2-PANEL 3/4 HERITAGE **NOT HVHZ**




DRG3P 3/4 PREMIUM **NOT HVHZ**

| PVHZ | ₩ |
|-------|----------|
| MPACT | IME |

6/8 DOORS





• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass 8 ft. Woodgrain Textured

All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.





Fiberglass 8 ft.

Woodgrain

Textured



All door systems are sold unfinished.

Natural color of woodgrain doors are tan/beige.

RESIDENTIAL LIMITED LIFETIME WARRANTY

RESIDENTIAL LIMITED LIFETIME WARRANTY



8/0 DOORS



DRG2980 2-PANEL



DRG6080

6-PANEL





DRG4180 TRUE 4-PANEL **NOT HVHZ**


8/0 DOORS —







DRG3080 3-PANEL **NOT HVHZ**



2/6

2/8

2/10

3/0

| 4 | VHZ |
|---|-------|
| ī | MPACT |

8/0 DOORS



| PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| DRG2980 • 2-PANEL | | | | | | • | | • • |
| DRG6080 • 6-PANEL | | | | | • | • | | • • |
| DRG0080 • FLUSH | | | • | | • | • • | • | • • |
| DRG4180 • TRUE 4-PANEL | | | | | | | | • |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.



8/0 DOORS

| PART NUMBER | 12" | 14" | 2/0 | |
|-------------------------------|-----|-----|-----|--|
| DRG8080 • 8-PANEL CENTER ARCH | | | | |
| DRG3080 • 3-PANEL | | | | |

IMPACT SOLID PANEL

plastpro®

Fiberglass 6/8 Smooth Skin

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished. Natural color of smooth doors are white.



RESIDENTIAL 25 YEAR LIMITED WARRANTY




IMPACT SOLID PANEL



plastpro Fiberglass 6/8 Smooth Skin

All door systems are sold unfinished. Natural color of smooth doors are white.

RESIDENTIAL 25 YEAR LIMITED WARRANTY



6/8 DOORS





7/0 DOORS



DRS2B 2-PANEL **SQUARE TOP**

DRS61 7/0 • "NARROW UTILITY"6-PANEL

DRS00 7/0 • FLUSH



DRS41 TRUE 4-PANEL



DRS60/DRS61/DRS63 6-PANEL



FLUSH

•

6/8 DOORS



DRS80 8-PANEL CENTER ARCH **NOT HVHZ**



MEETS ENERGY STANDARDS

DRS3P 3/4 PREMIUM **NOT HVHZ**



DRS6C **CRAFTSMAN NOT HVHZ**

DRS3E • 3-PANEL 3/4 ELITE



DRS49 3/4 4-PANEL **NOT HVHZ**



DRS2G 2-PANEL PLANK ARCH



2-PANEL SQUARE

DRS3E 3-PANEL 3/4 ELITE **NOT HVHZ**

| IMPACT IMPACT | PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|---------------|-----------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| | DRS2D • 2-PANEL ARCH TOP | | | | | | • | | • • |
| | DRS2B • 2-PANEL SQUARE TOP | | | | | | • • | | • • |
| | DRS41 • TRUE 4-PANEL | | | | | | • • | | • • |
| 6/8 DOORS | DRS60 • 6-PANEL WIDE PANEL DESIGN | | | | | • • | | | • • |
| | DRS61 • "NARROW UTILITY" 6-PANEL | | | | | | • | • • | • |
| | DRS63 • "NARROW UTILITY" 6-PANEL | | | | | | • | | |
| | DRS00 • FLUSH | | | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.



◆ HVHZ STOCK
 ◆ HVHZ SPECIAL ORDER
 ◆ WBD STOCK
 ◆ WBD SPECIAL ORDER

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass 8ft. Smooth Skin

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished. Natural color of smooth doors are white.




RESIDENTIAL 25 YEAR LIMITED WARRANTY





All door systems are sold unfinished. Natural color of smooth doors are white.

RESIDENTIAL 25 YEAR LIMITED WARRANTY



8/0 DOORS



2-PANEL SQUARE TOP







DRS2D80 2-PANEL ARCHED TOP

2-PANEL ARCHED

DRS2G80 TOP PLANK

8/0 DOORS



| PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|------------------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| DRS2B80 • 2-PANEL SQUARE TOP | | | | | | • | | • • |
| DRS6080 • 6-PANEL | | | | | • • | • • | | • • |
| DRS2D80 • 2-PANEL ARCHED TOP | | | | | | • | | • |
| DRS2G80 • 2-PANEL ARCHED TOP PLANK | | | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.





NOT HVHZ







NOT HVHZ



8/0 DOORS



| PART NUMBER | 12" | 14" | 2/0 | 2/4 | 2/6 | 2/8 | 2/10 | 3/0 |
|------------------------|-----|-----|-----|-----|-----|-----|------|-----|
| DRS3080 • 3-PANEL | | | | | | • | | • |
| DRS2980 • 2-PANEL | | | | | | • | | • • |
| DRS0080 • FLUSH | | | • | • | • • | • • | • • | • • |
| DRS4180 • TRUE 4-PANEL | | | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER



MEETS ENERGY STANDARDS

Novatech'

Steel Doors

Introducing a new line of Steel Doors by Novatech, featuring advanced manufacturing techniques, modern designs, and pre-finished options. Offering a steel door that is affordable, stylish, and available with pre-finished colors.

Features;

- Unique NEW steel door styles for modern day decor
- 24 gauge steel (G40) hot dip galvanized to prevent rust
- Composite bottom rail
- VOC free polyurethane high-density foam core
- 20 minute fire-rating available
- Available in a large variety of colors for projects of 300 doors or more. Available in black or white (and black and white) for jobs of 25 or more doors.



6/8 DOORS

FLUSH













6 PANEL












| HVHZ WBD | PART NUMBER | 2/8 | 2/10 | 3/0 | | | |
|--------------|--|-----|------|-----|--|--|--|
| | FLUSH | • • | | • • | | | |
| | OSO | | | • • | | | |
| | LONDON 2-PANEL | • • | | • • | | | |
| //0.00000 | 6 PANEL | • • | | • • | | | |
| 6/8 DOORS | VOG | | | • • | | | |
| | SOHO | • • | | • • | | | |
| | SYDNEY | | | • • | | | |
| | MUNDO | | | • • | | | |
| | EDPI60SS 316 60" 316 stainless steel round handle (IN STOCK) | | | | | | |
| PULL HANDLES | EDPI48SS 316 48" 316 stainless steel round handle (IN STOCK) | | | | | | |
| | EDRL exterior door roller latch US15 Satin Nickel color (IN STOCK) | | | | | | |

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.

BRICKMOLD TRIM LOCKSETS STAIN KITS

HARDWARE & **MISCELLANEOUS**



FOR ALL HARDWARE AND **COMPONENTS OPTIONS AND** SPECIFICATIONS, REFER TO OUR DOORSHOP COMPONENTS AND HARDWARE CATALOGS AT **BHIFLORIDA.COM**





88 BHI DOORS EXTERIOR DOOR SYSTEMS

BHI DOORS EXTERIOR DOOR SYSTEMS

BHI DOORS EXTERIOR DOOR SYSTEMS

HARDWARE BRICKMOLD HARDWARE LOCKSETS



PF FRAMES Brickmold Options







TOUCHSCREEN DEADBOLT YRD226



TOUCHSCREEN DEADBOLT YRD226 INSIDE VIEW

623 RAINIER



Touchscreen Deadbolt

| LOCKOLTO | OIL-RUBBED BRONZE US10BP | SATIN NICKEL US15 | BRASS US3 |
|------------------------------|--------------------------------|-------------------------|--------------|
| YRD226 TOUCHSCREEN DEAD BOLT | • | • | 0 |

ALL AVAILABLE BY QUICK-SHIP • IN STOCK • SPECIAL ORDER

New Traditions

Standard-duty residential locksets with enhanced quality, durability, and style features. (ANSI Grade 3)

- Limited Lifetime Warranty
 - Pre-installed Screws
 - Concealed Screws
- Interior Snap On-Off /Knobs & Levers
 - Removable Cylinder
- Brass Cylinder Housing Standard Superior for Florida Weather and Salt Air
 - Non-handed Levers
 - Keying and Master Keying Available



700 CIRRUS



WOODLAND

| D- | |
|-----|---|
| | 6 |
| (D) | 6 |
| | 7 |
| | |

SAVANNAH

820 DEADBOLT

MCKINLEY

| | BRASS US3 | METAL USGM | NICKEL US15 | BRONZE US10BP | CHROME US26D | BLACK USSB | NICKEL US15A | BRASS US5 |
|--------------------------------------|--------------|---------------|----------------|------------------|-----------------|---------------|-----------------|--------------|
| Color chart for representation only. | | | | | à | | | |
| 622 MCKINLEY | • | 0 | • | • | 0 | 0 | 0 | • |
| 623 RAINIER | | • | • | • | 0 | 0 | 0 | |
| 771 SAVANNAH | • | 0 | • | • | 0 | | 0 | |
| 700 CIRRUS | 0 | 0 | • | • | 0 | | | |
| 771 WOODLAND | | 0 | • | • | 0 | 0 | 0 | 0 |
| 820 DEAD BOLT | • | 0 | • | • | • | 0 | • | • |

OIL

HARDWARE LOCKSETS HARDWARE STAIN KIT

Yale Heritage



Prestige, strength, and longevity.

Yale offers residential and light-commercial locksets in a wide range of exciting designs at surprisingly affordable prices. (ANSI Grade 2)

- Limited Lifetime Warranty
- Push-button Locking, meets ADA guidelines
- Pre-installed Screws
- Concealed Screws
- Brass Cylinder Housing Standard
 Superior for Florida Weather and Salt Air
- Six Pin Cylinder Increases Security
- Non-handed Levers
- Keying and Master Keying Available





| | BRASS US3 | SATIN NICKLE US15 | RUBBED BRONZE US10BP | SUEDE BLACK USSB | DULL CHROME US26D | ANTIQUE NICKLE US15A | ANTIQUE BRASS US5 | BRIGHT CHROME US26 |
|--|--------------|-------------------------|----------------------------|------------------------|-------------------------|----------------------------|-------------------------|--------------------------|
| Color chart for representation only. | | | | | ы | | | |
| 926 HOMESTEAD | • | • | • | 0 | | 0 | 0 | |
| 927 JAMESTOWN | • | • | • | | | 0 | | 0 |
| 71 NORWOOD | • | • | • | 0 | 0 | 0 | • | 0 |
| 70 DARTMOUTH | 0 | • | • | | | | | |
| 70 CAMBRIDGE | 0 | • | • | 0 | 0 | 0 | 0 | 0 |
| 71 CITADEL/AUGUSTA | 0 | • | 0 | | • | | | |
| 71 MCCLURE | • | • | • | | | | | |
| 71 VALDOSTA | | 0 | | 0 | 0 | | | 0 |
| 83 SELECT DEAD BOLT WITH SECURITY STRIKE | • | • | • | | • | 0 | | 0 |



71 MCCLURE

71 VALDOSTA



83 SELECT DEADBOLT UL Available (Comes with security strike)




Stain Kits

Contains everything you need to stain one prehung door and two sidelights or one double door unit.

- Add increased protection and durability to the life of your Plastpro Fiberglass Entry Door
- New water-based top coat is environmentally friendly and allows faster drying times
 - Special formula offers long lasting vibrant colors
- Easy-to-Use for the Do-It-Yourselfer and Professional Painters
 - Designed exclusively for Plastpro Fiberglass door







BLACK CAVIAR



DARK CHOCOLATE TRUFFLE




MOCHA



MINK


SPECIFICATIONS TRANSOMS (FIXED WINDOWS)


NEW!




IMPACT HALF-ROUND FIXED LITE TRANSOM / WINDOW

TRANSOM / WINDOW







NON-IMPACT RECTANGULAR FIXED LITE TRANSOM / WINDOW



Transoms are sold separately as a window by special order. WBD Impact Rated Code compliance FL# 27399.2 HVHZ Impact Rated Code compliance FL# 27399.3 Non-Impact Rated Code compliance FL# 4554.

Transom units can be built with impact or non-impact ratings to match most any designs of BHI Doors.

To calculate transom window unit width 'outside frame to frame' dimensions, add the door unit size and sidelight(s) sizes (if any) along with the structural mullion width of 2" per each Mullion to go between each separate unit. Mullion shown on page 93.

If using 2x4's as structural mullions in place of the BHI aluminum structural mullion add 1.5" per Mullion in place of the 2" per Mullion.

Example 1; Single door unit with 2 sidelights configuration (OXO) utilizing a 2/10 x 6/8 door with 2 sidelights 14".

Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each and add 2" each for the 2 BHI aluminum structural mullions needed for between the two sidelights = 70.5""

Example 2; Single door unit with 2 sidelights configuration utilizing a 2 $/10 \times 6/8$ door with 2 sidelights 14".

Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each and add 1.5" each for the 2 2x4 mullions needed for between the two sidelights = 69.5"

To calculate transom window unit height 'outside frame to frame' dimensions, customers will need to determine height of transom window desired first.

Note: (limited to size of drawings Configuration A. B. C. D.)

Once transom window height is determined, add the transom window height to the height of the door system (93) along with the structural mullion width of 2".

Structural Mullion shown on page 93.

If using 2x4's as structural mullions in place of the BHI aluminum structural Mullion add 1.5" in place of the 2" measurement.

Example 1; 3/0 x 6/8 door IN SWING unit configuration (X). Add the unit height for a single $3/0 \times 6/8$ door unit in swing of 82" and add 2" for the BHI Aluminum structural mullion = 84"

Example 2; $3/0 \times 6/8$ door IN SWING unit configuration (X). Add the unit height for a single $3/0 \times 6/8$ door unit in swing of 82" and add 1.5" for 2x4 mullion = 83.5'

| PRE-HUNG DIMENSIONS | | | | | | | | | | | | | |
|--|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|
| DOOR & SIDELIGHT WIDTHS 12" 14" 2/0 2/4 2/6 2/8 2/10 *2/10 3/0 | | | | | | | | | | 3/0 | | | |
| Single Unit Width | | 13-1/2" | 15-1/2 | 25-1/2" | 29-1/2" | 31-1/2" | 33-1/2" | 35-1/2" | 35-1/2" | 37-1/2" | | | |
| DOOR & SIDELIGHT WIDTHS | | | | 4/0 | 4/8 | 5/0 | 5/4 | 5/8 | 5/8 | 6/0 | | | |
| Double Unit Width | | _ | _ | 50-1/8" | 58-1/8" | 62-1/8" | 66-1/8" | 70-1/8" | 70-1/8" | 74-1/8" | | | |
| Unit Height - 6/8 In | nswing | 82" | 82" | 82" | 82" | 82" | 82" | 82" | 80-5/8" | 82" | | | |
| Unit Height - 6/8 C | Dutswing | 80-5/8" | 80-5/8" | 80-5/8" | 80-5/8" | 80-5/8" | 80-5/8" | 80-5/8" | 79-3/8" | 80-5/8" | | | |
| Unit Height - 8/0 In | nswing | 98" | 98" | 98" | 98" | 98" | 98" | 98" | | 98" | | | |
| Unit Height - 8/0 C | Dutswing | 96-5/8" | 96-5/8" | 96-5/8" | 96-5/8" | 96-5/8" | 96-5/8" | 96-5/8" | | 96-5/8" | | | |

All Pre-hung dimensions are based on (outside to outside frame) using Poly Fiber Composite door frames.

PRE-HUNG DIMENSIONS FOR SINGLE DOOR & HINGED SIDELIGHTS (COMBO)

UNITS IN POLY FIBER COMPOSITE DOOR FRAMES - DOOR & SIDELIGHT COMBO

| DOOR & SIDELIGH | HT WIDTHS | 3/0 SINGLE DOOR W/ 1-12" SIDELIGHTS | 3/0 SINGLE DOOR W/ 1-14" SIDELIGHTS | 3/0 SINGLE DOOR W/ 1-2/0 SIDELIGHTS |
|-------------------|-----------|---|---|---|
| UNIT WIDTH | | 50-1/4" | 52-1/4" | 62" |
| Unit Height - 6/8 | Inswing | 82" | 82" | 82" |
| Unit Height - 6/8 | Outswing | 80-5/8" | 80-5/8" | 80-5/8" |
| Unit Height - 8/0 | Inswing | 98" | 98" | 98" |
| Unit Height - 8/0 | Outswing | 96-5/8" | 96-5/8" | 96-5/8" |

All Pre-hung dimensions are based on (outside to outside frame) using Poly Fiber Composite door frames.

Caution: When doors with sidelights are used together (except for doors using hinged sidelights) in many cases, a 2x4 or structural mullion are required to be installed between the door and sidelight frames to meet the requirements of test approvals. This will effect the overall sizing of the opening for pre-hung units.

COMBO; pre-hung door with a hinged sidelight.



A hinged sidelight makes moving furniture through your front doorway much easier!

SPECIAL SIZE SIDELIGHT AND TRANSOMS

DIRECT SET SIDELIGHT GLASS

8"up to 37.5" wide, and up to 97.75" height

TRANSOMS

Max size up to 97.75" width x 37.5" height

STRUCTURAL MULLION

Available in 1x4, 2x4 & 2x6 sizes for 6/8 & 8/0 doors. Can be used between transom windows or sidelights where structural beams are required by code.



^{* 6/6 2/10} units - Undersized available for replacing sliding glass doors.

PRODUCT APPROVALS







SOLID DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

| IMPACT S | | | 'H OR WITHOUT | HVH | Z |
|----------|---------|----------------------|------------------|----------------------------|----------------------|
| FL# | CONFIG. | UNIT SIZE (UP TO) | SWING | DP RATED | |
| 15210.1 | Х | 3/0 × 6/8 | Inswing/Outswing | +75/-75 | INSTALLA- TION |
| 15210.2 | хо ох | 6/0 x 6/8 | Inswing/Outswing | +75/-75 | DETAILS |
| 15210.2 | ОХО | 9/0 x 6/8 | Inswing/Outswing | +75/-75 | REQUIRE DEAD BOLT |
| 15210.3 | XX | 6/0 x 6/8 | Inswing/Outswing | +50/-60 IS, +60/-60 OS | SECURITY PLATE |
| 15210.3 | OXXO | 12/0 x 6/8 | Inswing/Outswing | +50 / -50 | TEATE |
| 15210.10 | Х | 3/0 × 8/0 | Outswing | +65/-65(OS) | |
| 15210.13 | Х | 3/0 x 8/0 | Outswing | +90/-90 WITH SURFACE BOLTS | REQUIRES |
| 15210.11 | хо ох | 6/0 x 8/0 | Outswing only | +60 / -60 | 12" |
| 15210.11 | ОХО | 9/0 x 8/0 | Outswing only | +60 / -60 | DEAD BOLT |
| 15210.12 | XX | 6/0 x 8/0 | Outswing | +65/-65 | ON CENTER |
| 15210.14 | XX | 6/0 x 8/0 | Outswing | +90/-90 WITH SURFACE BOLTS | |
| 15210.12 | OXXO | 12/0 x 8/0 | Outswing only | +50 / -50 | |



| IMPACT S | | | | | CKS HVHZ |
|----------|---------|----------------------|-----------------|--------------------|---------------------------|
| FL# | CONFIG. | UNIT SIZE (UP TO) | IMPACT RATED | SWING | DP RATED |
| 15210.1 | Х | 3/0 x 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.2 | ох хо | 6/0 x 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.2 | ОХО | 9/0 x 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.3 | XX | 6/0 x 6/8 | Yes | Inswing / Outswing | +50/-60 (IS) +60/-60 (OS) |
| 15210.3 | OXXO | 12/0 x 6/8 | Yes | Inswing / Outswing | +50 / -50 |

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK

(DOOR JAMBS INSTALL DIRECTLY TO BLOCK).

FOR 8/0 DOORS REFER TO COMPONENT APPROVALS OR REQUEST ASSISTANCE.

GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

| IMPACT OWITH MU WITH OR WIT IMPACT S | JLTI-POI | IM | VHZ PACT | | |
|--------------------------------------|----------|----------------------|-----------------|-----------------------|-----------------------------|
| FL# | CONFIG. | UNIT SIZE (UP TO) | IMPACT RATED | SWING | DP RATED |
| 15210.4 | X | 3/0 × 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.5 | OX XO | 6/0 x 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.5 | ОХО | 9/0 × 6/8 | Yes | Inswing / Outswing | +75/-75 |
| 15210.6 | XX | 6/0 × 6/8 | Yes | Inswing / Outswing | +50/-60 (IS) +75/-75(OS) |
| 15210.6 | OXXO | 12/0 x 6/8 | Yes | Inswing / Outswing | +50 / -50 |

| | COMPONENT APPROVAL WINDSERT GLAZED HVHZ DOORS | | | | | | | |
|------------|---|-------------------------|-----------------|----------|-------------|--------------------------------------|--|--|
| FL# | CONFIG. | UNIT SIZE (UP TO) | IMPACT RATED | SWING | DP RATED | DP RATED W/ SECURITY SCREEN | | |
| 14803-RI.4 | Х | 3/0 × 6/8 | Yes | Outswing | +50 / -50 | +50 / -55 | | |
| 14803-RI.5 | XO OX | 9/0 x 6/8 | Yes | Outswing | +50 / -50 | +50 / -55 | | |
| 14803-RI.6 | XX | 12/0 x 6/8 | Yes | Outswing | +50 / -50 | +50 / -55 | | |
| 15210.15 | Х | 3/0 x 8/0 | Yes | Outswing | +50 / -50 | +50 / -50 | | |

WBD



GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

| 1 | IMPACT O | HOUT | | | MPACT |
|--------------------------------|------------|---------|----------------------|-----------------------|----------------------------------|
| | FL# | CONFIG. | UNIT SIZE (UP TO) | SWING | DP RATED |
| INSTALLA TION | 15210.4 | Х | 3/0 x 6/8 | Inswing / Outswing | +75/-75 |
| DETAILS REQUIRE DEAD BOL | .T 15210.5 | XO OX | 6/0 x 6/8 | Inswing / Outswing | +75/-75 |
| SECURITY PLATE | 15210.5 | ОХО | 9/0 x 6/8 | Inswing / Outswing | +75/-75 |
| | 15210.6 | XX | 6/0 x 6/8 | Inswing / Outswing | +50/-60 (IS) +75/-75 (OS) |
| | 15210.6 | OXXO | 12/0 x 6/8 | Inswing / Outswing | +50/-50 |
| | 15210.7 | X | 3/0 x 8/0 | Outswing | +65/-65 |
| | 15210.8 | хо ох | 6/0 x 8/0 | Outswing | +65/-65 |
| REQUIRE | s 15210.8 | ОХО | 9/0 x 8/0 | Outswing | +65/-65 |
| 12" DEAD | 15210.9 | XX | 6/0 x 8/0 | Outswing | +50/-50 |
| ON CENTER | 15210.9 | XX | 6/0 x 8/0 | Outswing | +65/-65 WITH SURFACE BOLTS |
| | 15210.9 | OXXO | 12/0 x 8/0 | Outswing | +50/-50 |
| | 15210.9 | OXXO | 12/0 x 8/0 | Outswing | +65/-65 WITH SURFACE BOLTS |

| 15210 UNITS CAN BE INSTALLED WITHOUT A BUCK |
|---|
| (DOOR JAMBS INSTALL DIRECTLY TO BLOCK) |

| | CT DIRECT GLA DR WITHOUT IMPA | | | HZ ACT | |
|---------|----------------------------------|----------------------|-----------------|-----------|-------------|
| FL# | CONFIG. | UNIT SIZE (UP TO) | IMPACT RATED | SWING | DP RATED |
| 28095.1 | X XO OX OXO | 6/0 X 6/8 | YES | OUTSWING | +50-60 |
| 28095.2 | X XO OX OXO | 6/0 X 8/0 | YES | OUTSWING | +50-60 |

| COMPON TRANSON | HVHZ | |
|-------------------|--------------|--|
| FL# | IMPACT RATED | |
| 27399.3 | Yes | |









DECORATIVE GLASS SIZE OPTIONS – IMPACT

| | | 6/8 FULL LIGHTS | | | 6/8 1/4 LIGHTS | | | 6/8 6/8 3/4 LIGHTS 1/2 LIGHTS | | | 6/8 8/0 1/4 LIGHTS FULL LIGHTS | | | /0 LIGHTS | | |
|---------------------|-------------|--------------------|---------|---------|-------------------|---------|-------------|----------------------------------|---------|---------|--------------------------------|---------|---------|--------------|---------|--------|
| | PRICE GROUP | 22 x 64 | 20 x 64 | 14 x 64 | 7 x 64 | 21 x 16 | 25 x 15 1/4 | | 22 x 48 | 22 x 36 | 20 × 36 | 22 x 10 | 22 x 80 | 20 x 80 | 14 × 80 | 8 x 80 |
| DESIGN | | 686 | 687 | 624 | 694 | 876 | 814 | | 607 | 684 | 672 | 651 | 612 | 496 | 487 | 493 |
| UPTOWN | В | • | 007 | 024 | 0/4 | 070 | 014 | | 007 | 004 | 072 | 031 | • | 770 | 407 | 7/3 |
| GEMINI | A | • | | | | | | | | | | | • | | | |
| BRISTOL | В | • | | | | | | | | | | | • | | | |
| PARK PLACE | В | • | | | | | | | | | | | • | | | |
| ENTROPY | A | • | | | | | | | | | | | • | | | |
| CAMDEN | В | • | | | | | | | | | | | • | | | |
| CROSSWALK | D | • | • | • | • | | • | | • | • | • | | • | | • | • |
| WATERSIDE | В | • | | • | • | | | | • | • | | | • | | • | • |
| CHINCHILLA | D | • | | | • | | | | • | • | | | • | | | • |
| BLANCA | D | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| LINEN | D | • | | | • | | | | • | • | | | • | | | • |
| STREAMED | D | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| MICRO-GRANITE | D | • | | • | • | • | • | | | • | | | • | | | • |
| PARIS | Α | • | | | • | • | • | | • | | | | | | | |
| JACINTO | В | • | | | • | | | | • | | | | • | | | • |
| IMPRESSIONS | В | • | • | | • | | | | | • | | | • | | | • |
| RENEWED IMPRESSIONS | В | • | • | • | • | | | | | • | | | • | | • | • |
| MOHAVE | В | • | • | | • | | | | • | • | | | • | | | • |
| TOPAZ | D | • | | | • | • | • | | | | | | | | | |
| MEMORIA | В | • | | | • | | | | | • | | | • | | | • |
| EXPRESSIONS | Α | • | | | • | | | | | | | • | • | | | • |
| CADENCE | Α | • | | | • | | | | • | | | • | • | | | • |
| GRACE | D | • | | • | • | | | | | | | | • | | • | • |
| HEIRLOOMS | В | • | • | | • | | | | • | • | | | • | | | • |
| MAJESTIC | D | • | • | • | • | | | | | • | | • | • | | • | • |
| ETCHED GLASS | Α | • | • | | • | | | | | | | | • | • | | • |
| OVERLAYS | С | • | • | | • | | | | | • | | | • | • | | • |

Decorative doorglass is available in four different price groups.

The higher price group (A) to the lower price group (D) are offered based on doorglass design and materials.

98 BHI DOORS EXTERIOR DOOR SYSTEMS 99

GLASS SIZE OPTIONS – IMPACT

GLASS SIZE OPTIONS – IMPACT

DOORS AROUND THE HOME

DOORS AROUND THE HOME

| | 6/8 FULL LIGHTS | | | | 6/8 3/4 LIGHTS | 6/8 1/4 LIGHTS | 6/8 1/2 LIGHTS | | 6/8 1/4 LIGHTS | 8/0 FULL LIGHTS | | | | |
|--|--------------------|---------|---------|--------|----------------------|----------------------|-------------------|---------|-------------------|--------------------|---------|---------|---------|--------|
| | | | | | | | 9 11 07 67 | | | | | | | |
| | 22 x 64 | 20 x 64 | 14 x 64 | 7 x 64 | 8 x 64 | 22 x 48 | 21 x 16 | 22 x 36 | 20 x 36 | 22 x 10 | 22 x 80 | 20 x 80 | 14 x 80 | 8 x 80 |
| DESIGN | 686 | 687 | 624 | 694 | 690 | 607 | 876 | 684 | 672 | 651 | 612 | 496 | 487 | 493 |
| ONE LIGHT – CLEAR | • | • | • | • | | • | | • | • | • | • | • | • | • |
| ONE LIGHT – Low-E | • | • | • | • | | • | • | • | • | • | • | • | • | • |
| ONE LIGHT – TURTLE | • | • | | • | | | | • | | | • | • | | • |
| LIGHT-TOUCH ENCLOSED BLINDS | • | • | • | • | | | | • | • | | • | • | • | • |
| LIGHT-TOUCH ENCLOSED BLINDS – Low-E | • | • | • | | • | | | • | • | | • | • | • | • |
| ETCHED | • | • | • | • | | • | • | • | • | • | • | • | • | • |
| | | | | | | | | | | | | | | |
| GRILLS BETWEEN GLASS | • | • | • | • | | • | | • | • | | • | • | • | • |
| PRAIRIE GRILLS BETWEEN GLASS | • | • | | • | | • | | • | | | • | | | |

DOOR STYLIZER

Your Door Stylizer

SCAN WITH YOUR SMARTPHONE



Create Your Dream Entryway!


This tool allows homeowners to visualize how various ODL® Doorglass options will look in their home entryways. YOUR DOOR STYLIZERTM uses a guided design process that helps homeowners customize their entryway by replacing glass, adding glass or replacing their door. Once the user has created their dream entryway they can save, email, share via social media or print their project to make doorglass ordering a snap.

What's Your Style?

Classic? Contemporary? Something in Between?

Find the doorglass style that suits you and your home perfectly.

UPLOAD A PHOTO OF YOUR HOME or select a sample from our gallery. Then explore, get inspired, and create the entryway that is made for your home. You can also create an account to save your photos and favorite designs.



BHI DOORS PRE-HUNG ORDER FORM

| Company Name | | BHI Sales Agent | Date |
|--------------|------------------------|--|--|
| Contact | Name | Phone | Email |
| Job Nar | ne | | |
| | | CIRCLE OR CHECK APPROPRIATE BOXES | |
| | | HVHZ UNIT WBD UNIT | |
| 1. | DOOR UNIT TYPE: | SINGLE DOUBLE | |
| | A) GENERAL WIDTH: | 2/0 2/4 2/6 2/8 2/10 3/0 | 3/6 |
| | B) GENERAL HEIGHT: | 6/8 7/0 8/0 | |
| 2. | DOOR JAMB SIZE: | 4-9/16" 5-1/4" 6-9/16" 7-1/4" | |
| 3. | DOOR JAMB TYPE: | SMOOTH WHITE COMPOSITE TEXT | URED TAN COMPOSITE |
| 4. | DOORGLASS: | IMPACT NON-IMPACT DOORGLA | ASS MODEL# |
| 5. | DOOR TYPE: | SMOOTH TEXTURED DOOR MC | DDEL# |
| 6. | HAND & SWING: | SINGLE DOORS INSIDE | INSIDE |
| | | Left Hand Inswing | Left Hand Outswing Right Hand Outswing |
| | | DOUBLE DOORS INSIDE | INSIDE |
| | | Left Hand Active Inswing Right Hand Active Inswing | g Left Hand Active Outswing Right Hand Active Outswing |
| 7. | DOOR PREP: | (STANDARD IS 2-3/8" BS AND 5-1/2" OC) | |
| | A) ACTIVE DOOR: | DOUBLE BORE SINGLE BORE MULTI- | -POINT SPECIFIC HANDLE |
| | B) INACTIVE DOOR: | NO BORE DOUBLE BORE SINGLE BOR | E |
| 8. | THRESHOLD TYPE: | STANDARD MILL FINISH ALUMINUM 🗌 BF | RONZE 🗌 ADA 🗌 |
| 9. | SIDELIGHTS: | | |
| | A) HOW MANY: | 1 2 _ | |
| | B) SIZE: | 12" | |
| | C) SIDELIGHT GLASS M | ODEL# | |
| 10. | UNIT HEIGHT: | STANDARD HEIGHT 🗌 CUT DOWN 🗌 CI | UT DOWN UP TO 3" |
| | A. ACTUAL UNIT HEIGH | Нт: | |
| | B. SPECIAL INSTRUCTION | ONS: | |
| 11. | HINGES:COLOR/FINISH | 1: STAINLESS STEEL AGED BRONZE S | ATIN NICKEL OTHER |
| 12. | HARDWARE: | | |
| | | | COLOR: |
| | | | ALL KEYED ALIKE 🗌 |
| 13. | MISCELLANEOUS: | ADD PEEPHOLE SIZE AND COLOR | ?: |
| | | ADD BRICKMOLD (NOT ATTACHED) | STYLE: |